



Creative Visual Solutions

INNOVATION IN PIXEL TECHNOLOGY

+91 8483945945

+91 9096250250

# 2021



**Scroll  
To  
Explore**

Creative Visual Solutions

Mail : [Creativeeyeav@gmail.com](mailto:Creativeeyeav@gmail.com), [info@creativeeyeav.com](mailto:info@creativeeyeav.com)

Web : [www.creativevisualsolutions.in](http://www.creativevisualsolutions.in)

Add : Ajantha CHS, Plot No.416, Durganagar, Shivajinagar, Opp. JW Marriott, SB Road,  
Maharashtra, India, Pune - 411 016.

**CREATIVE**  
VISUAL SOLUTIONS  
INNOVATION IN PIXEL TECHNOLOGY

## Our Products

### LED DISPLAY

#### Technology

- LED Screen 2.9MM Indoor
- LED Screen 3.9MM Indoor-outdoor
- LED Screen 4.8MM Outdoor
- LED Screen - Special Shape
- Diamond LED Display
- LED Boundary Display

### INNOVATIVE/INTERACTIVE

#### Solution

- Digital LED Standee
- Rotational LED Standee
- LED Easel Stand
- Interactive Dance Floor
- Android Touch Kiosk
- LED Pop-Up Display
- Kinetic LED Ball Light

### INNOVATIVE

#### Products

- Transparent Display
- Holographic Prism
- Holographic Fan

### CONVENTIONAL

#### Audio-visual

- Projectors
- PA Systems
- Drop Down Screen
- Tripod Screens

### CONSOLE/STAGE

#### MANAGEMENT

- Media Server Hi-Render
- C1+N9 HD Stage Console
- Face Recognition Access Control
- RGB Link 3072 Pro Switcher
- Perfect Cue
- Preview Room
- VJ, Digital Timer




## KINETIC LED

### BALL LIGHT

KINETIC LIGHTS was invited by polish lighting integrator LTT to delight all future visitors of Poland's youngest and biggest shopping mall in Warsaw with a unique kinetic light installation.

Now and then forming the logo of Galeria Polnocna the vibrant illumination breathes life into the most versatile shopping and entertainment mall by literally adding a (3rd) dimension. The ever changing light sculpture is composed of 134 Winch LED, 73 Driver LED, 54 Sphere 50, 62 Sphere 30 and 99 Sphere 17. The arrangement of the kinetic installation and programming was done by LDC from Madrid with a custom software in combination with our KL Control software.



KINETIC LIGHTS offers a wide range of Light Fixtures for various kinetic and static art, interior, stage, show and event lighting applications. All our Light Fixtures are fully compatible with our Winch LED or Winch XS (small light fixtures only) lifting systems. All Light Fixtures can also be used as static DMX controllable light elements with Driver LED. We can also provide custom light fixture designs based on our various LED and OLED light core solutions.

Sphere 50 - 50 cm

Sphere 30 - 30 cm

Sphere 17/9 - 17/9 cm

Rod - 180 cm

Double Rod - 360cm

Triangle - 180 cm

## ANDRIOD Touch Kiosk



- Digital signs can interact with mobile phones using wifi network and Bluetooth.
- This technology enables end users to upload photos and messages to social networks as well as text messages.

### Features

☀ 43" inch Hd Display

↻ 90 Degree Rotation

■ At higher resolutions  
1920x1080 pixel

■ Andriod Oprating System  
With Play Store Support

📱 Multi-Touch Display

⌚ Easy To Oprate



## Rotational LED Standee



- Digital signs can interact with mobile phones using wifi network and Bluetooth.
- This technology enables end users to upload photos and messages to social networks as well as text messages.

☀ High Brightness

🔄 High Refresh Rate

📏 Size in pixel 256 x 896

📏 Dimension is 18 x 72 Inch

🔄 Easy Change Content

🔄 CW/ACW - Rotational Base





## DIGITAL LED Standee

- Digital signs can interact with mobile phones using wifi network and Bluetooth.
- This technology enables end users to upload photos and messages to social networks as well as text messages.

### Features

☀ High Brightness

🔄 High Refresh Rate

📏 Size in pixel 224 x 756

📏 Dimension is 18 x 72 Inch

🔄 Easy Change Content

🔄 Self Mounting



## LED ROUND Pop-up Display

LED display, also called led screen, led video wall, or led sign, with its unique advantages, has gradually replaced the traditional billboards, light boxes, etc. LED display advertising has become a new force in the media industry.

Traditional advertising can only show pictures, But LED display/led video wall/led screen can perfectly combine text, pictures, video, and sound with high resolution, high brightness and full color.

LED display Advertising screen can easily attract the attention of pedestrians, and also are easy to remember, which can generate greater advertising effectiveness.

Round Led display screen now are widely applied in outside of different occasions, such as coffee shop, bars, stores, etc.




### Features

- Round Shape LED Screen.
- Fashion design with round shape led display for double sides.
- IP 65 Waterproof Design;  
With waterproof tape around the modules and PVC board on surface to prevent the rain and dust.
- Wide Range using Occasions  
High brightness for hanging outside of different occasions such as coffee shop, bars, stores, etc.
- Support remote control by connecting with the WIFI adapter, using android app, IOS app or PC software to download files.

**LED**

## **Easel Stand**



Creative Visual Solutions introducing Floor Stand Standalone LED Screen WIFI WLAN Digital Signage LCD Display.

Ideal use for Product Display Description and Mall, Showroom, Restaurant as well as in events and exhibitions.

Floor Stand Standalone LED Screen WIFI WLAN Digital Signage LCD Display

Physical measurements – W 50.3CM X H 76 CM and size in pixel W224 x H456

- Supported Version: Standalone, Android
- Play mode: Repeat All/Repeat None/Repeat One
- Support files: All/Photo/Photo/Movie/Play list
- Extra function: Slide show, loop, repeat playing type

## **INTERACTIVE** **Dance Floor**


Life is a stage show, every steps can motive the youth vitality. LED interactive dance floor bring the rhythm of dance match up with music. Interactive, sound and lighting effect gang together, all-directional interact, motive the body and heart. It's the new element of entertainment, the new favorite of artist.

At present, the human screen interaction is mainly reflected in the interactive dancing floor LED display. The dancing floor LED display subverts the traditional vision, touch and hearing.

All the creativity and imagination can be realized in the immersive dynamic experience space, which can create an abstract world, Magic Ocean and magic lawn, forest, dynamic sea world, dynamic ground, and virtual beaches make people feel the influence of aesthetics and optics.

Use them for promotional purposes such as at corporate events or trade shows. The floor panels can create text effects along with abstract graphics and will attract attention.

Interactive LED floor & LED display screen for Wedding floor, Birthday, Show, Club and Disco Lighting, Welcome Entry, Events,





## TRANSPARENT Touch Display

- The transparent LCD screen delivers HD or 4K images just like standard professional display.
- The key difference is that the screen substrate is clear : white pixels appear fully transparent, black ones opaque.
- The full range of RGB colors in between have semi-transparent properties that can be used to great creative effect with the content you design.

☀ 43" inch Hd Display

🔄 Product Display Rotater

📺 At higher resolutions  
1920x1080 pixel

🖱 Window Operating System

🖱 Multi-Touch Display

🕒 Easy To Operate



## HOLOGRAPHIC PRISM

At Prism Interactive, we aim to provide impeccable services in multidisciplinary sectors ranging from 3D Architectural to Brand Building, Animation, Digital Marketing, Graphic Designing, and Photo & Videography. We turn ideas to life while providing unmatched services with hassle free experience & excellent customer oriented approach.

Hologram Prism 180 Degree is Holographic Shocase with Three Side. It combines A physical Products With **Holographic 3D Animation**.



## HOLOGRAPHIC

### Fan-3D



3D Holographic Air Fan Display is one of the most cost-effective display solutions to create a holographic illusion.


This hologram machine creates the illusion of a hologram floating in the air. The hologram set is extremely simple to install and use.


The brightness and strong colours make it very visible even in environments with a lot of light.

The amazing illusion is created by a LED light bar that spins at high speed, turning the hardware structure practically invisible and a floating video effect. Changing the video content is extremely easy.


 3D Hologram Advertising Display.

 Use 3D Holographic Air Fan display technology, display no-border 3D effect, your ad will float in the air.

 1200 round per minute high speed, provides true-to-life image and dynamic effects.

 Wi-Fi wireless picture transfer with APP (scan the QR code on the user manual to install the APP)

 Provide custom picture and video service Power EfficientPlug and Play Display.



## PROJECTOR

### PROJECTORS AND PROJECTION SCREENS RENTAL WITH VARIETY OF SIZES FROM SMALL TO LARGE.



Projection screen rental can be a challenging task. If you are not sure about what screen size is needed for your event, please consult with one of our projection specialists.

If you want us to run it for you no problem. We have a professional team with over 10 years of experience.

We are using the latest technologies starting from sending you a quote to running your event. After you decide to rent from us we will schedule a time when it's comfortable for everyone to pick up and bring it back. If we doing your delivery once you tells us time and date and it's added to the project our technicians that was assigned to your project will automatically receive notification with all the notes about your event and everything will be synced to their calendar so we won't miss your event and come on time. Rent for your event will take all the stress away when it comes to AV service.

We stock a wide selection of screens for rent, with sizes to cater to all types of events; from a small presentation to an awards ceremony. Our projection screen sizes range from 40" to 320" in width, including 16:9, 4:3, and customized ratio screens. Our screens can be used with front surface or rear projection surface.



## PA SYSTEM

Quality Sound System,  
Low Rental Rates & Reliable Service

- Mixer Rental and Player Rental
- PA system Rental
- Dinner and Dance Sound System Rental
- Line-Array System Rental
- Microphone Rental and Wireless Microphone Rental
- Outdoor Sound System Rental
- Portable Sound System Rental
- Wedding Sound System Rental



If you have a business event coming up that involves a presentation or speech, let CVS provide you with a sound system rental! Having a high quality sound system at your event is important because it ensures that everyone can hear what's being presented, which is critical for maintaining attendee engagement. Our sound systems come in many different sizes ranging from a small portable system with only a couple speakers, to complete packages that include microphones, PA systems, mixers, peripherals and stands.

CWS can provide sound system rental service and support for any scale and requirements. We can provide sound system rental for outdoor events, concerts, weddings, discos, roadshows and all live events in Pune, Mumbai, Bangalore, Delhi, Lucknow, Chennai, Goa, Agra, Jaipur, Ahmedabad, Kolkata, Hyderabad etc

We can offer attractive quotes for a variety and wide range of  
Sound System Rental Gears.



## DIGITAL TIMER



This easy-to-use wireless presentation timer kit is ideal for timing presentations for conferences or events with multiple presenters.

This presentation timer kit allows your presenters to keep an eye on the clock, ideal for conferences or any event with multiple presenters to keep your presentation schedule on track. It consists of a wireless timer and a large presentation clock with 4" high solid LED digits with red lights. The clock has a easy to place it anywhere on the floor or stage where the presenter can easily see it. The timer connects easily and reliably to the clock over Bluetooth, Ethernet with a wireless range of 250'. Both units require AC power from included external 12V power supply.

### Features

Large four-digit LED wall display visible to the speaker and the audience up to 50'

Count up elapsed timer settable to hour: minute or minute: second

Count down time remaining timer settable to hour: minute or minute: second

Connect two or more Timekeepers together, one becomes the timer, and the others become remote displays

Four-digit LED seven-segment display with 0.56" high digits





## BUZZER/VOTING PAD



- Audience Response/Polling System (Voting Pads) makes your presentation and conference even more engaging and interactive.
- Star Excellence services voting pads are easy to use solution with Plug and play capability.
- Results will be displayed instantly after each quiz question.

### CLICKER

This response system is a cost-effective highperformance radio frequency system designed for large or small groups of participants. The system handles basic multiple choice, yes/no, and true / false responses Options A,B,C,D.



## HIRENDER S3 Media Server



Hirender S3 media server can manage the playback control process conveniently with its powerful dual control mode (timeline + window). The innovative program management module makes the multi-window and playback easier and more flexible. It can support up to 15360\*2160 pixel-to-pixel display and supports multiple servers cascaded, and many effects. At the same time, the multi-channel synchronized outputs can simplify the management of super large LED screen splicing, projector, edge blending, creative LCD.

Hirender is used to design and control all the different media elements of your show – Video, Still images, Animations, Graphics, Live Camera feeds, Sound, Lighting Desk and Midi devices. PLAY it in REAL TIMELINE. Play your content on timeline with various cue lists on multiple displays.

It is combination of the powerful computer hardware & dedicated software for show control. ONLY ONE SERVER and YOU ARE ON. The main advantage of using HI-RENDER is the ease of use. You do not need to configure Production and Display system like Watchout and other server. You can connect many HI-RENDER servers to control huge pixels canvas.

### Function & Features

Window mode supported

Time-line mode supported

Virtual screen supported

NDI supported

Support external device controlling  
(video processor, switcher)



Support 4k capture card

Strong video decoding and 2D/3D rendering

Support super-resolution video

User friendly operation

Support preview mode(PRV)

## C1+N9 HD Stage Console

### Live Event Solution

NovaStar's C1+N9 HD Stage Console professional visual solutions for events provides excellent image display, switching, and monitoring, all in one powerful and comprehensive package.

The C1+N9 is the perfect choice to meet the needs of this type of application. The N9 acts as a switcher, splicer and processor, while the C1 console handles the stage control. With a dual-touchscreen design, the C1 removes the necessity of complex and slow software operation, allowing you to effortlessly control the stage.



The C1 is also designed with a joystick and T-Bar. The joystick is used to precisely adjust the size and position of layers. The TBar supports adjustment of 1024 levels of layer transparency, finely controlling the transition effects of presets and PVW, PGM for switching.

Thanks to the cool lighted buttons, highly sensitive joystick and T-Bar, plus the two LCD screens, the C1 is extremely easy to operate, making live stage control most convenient.


The C1 is also designed with a joystick and T-Bar. The joystick is used to precisely adjust the size and position of layers. The TBar supports adjustment of 1024 levels of layer transparency, finely controlling the transition effects of presets and PVW, PGM for switching.

Thanks to the cool lighted buttons, highly sensitive joystick and T-Bar, plus the two LCD screens, the C1 is extremely easy to operate, making live stage control most convenient.

## FUNCTION & FEATURES

- Supports two LCD screens, one for monitoring, and the other touch screen for operating. During operating, users can view on one of the LCD screens the input source status, preview status and status of output on LED display, so that the overall situation is under control.
- Supports screen mosaic, easy mosaic, output image quality adjustment, BKG settings, EDID settings, test patterns, and switching from normal display to blackout with one button press.
- Supports preset copying, use of preset templates, preset customizing, saving of custom presets, preset data cleanup, lockup of preset area on C1 operation panel.
- Supports layer editing, layer image quality adjustment, layer border settings, and layer freezing.
- Allows for operations, such as FTB, freeze or Take operation, to multiple seamless switchers.
- Supports remote or live control of terminal video processors through RJ45.

## APPLICATIONS





## N9 - MULTI SCREEN VIDEO CONTROLLER/ SPLICER

The N9 is a high-performance multi-screen video switcher independently developed by NovaStar. Using high-performance video processing technologies, it is capable of processing and outputting ultra-high quality images. The N9 also provides powerful video signal receiving capability. It can support 9 inputs and 4 DVI outputs at the same time. A single N9 can load up to an 8KK screen, and multiple N9 units can be cascaded for output.

The N9 can work with NovaStar's desktop console C1 and make the operation of N9 on stage more convenient.

It is also equipped with brand-new smart management software V-Can from NovaStar to provide richer image mosaic effects. Thanks to the powerful capabilities of receiving and processing a variety of video signals, the N9 can be widely used in various scenarios, such as intermediate and high-end rental, stage control, media centers, big conference sites, exhibition sites and concert control centers.



### FEATURES

- Up to 9 inputs, including 1 × dual-link DP 1.1 (can be replaced by HDMI 1.4, DP 1.1 or dual-link DVI), 2 × HDMI 1.3 (can be replaced by DVI/VGA/CVBS), 4 × DVI, 1 × DP 1.2 and 1 × 3G-SDI.
- Up to 7 layers supported at the same time. Max. Resolution of each layer: 3840×2160, 7680×1080 or 1920×4320.
- Customized BKG settings you can load an image file from the control computer or capture an input source image displayed on the screen as the BKG image.
- Shaped layer, layer mask and color keying supported
- Layer cloning and Z-order layer sorting supported
- Input source image cropping supported
- Quick mosaic and custom mosaic



## THERMAL SCANNER



### FEATURES

#### ■ Attendance

It has to be collect people record easily in excel Sheet

#### ■ Non-Contact

No need to touch the equipment, it can be identified by entering the range, convenient for hygiene

#### ■ Convenience

No need to carry it, no need to cooperate, liberate hands, identify fast.

#### ■ Safety

Never Lost, not easy to copy, real people to prevent camouflage

## FACE RECOGNITION ACCESS CONTROL

The 7-inch face recognition temperature intergrated detector is a perfect combination of traditional applications based on face recognition and infrared temperature detection. Suit for Hotel, access gate, office building, school, shopping mall, communities, public service.

Adopts high-precision infrared non-contact temperature detector, can automatically detect body temperature, accurate and efficient.

Temperature measurement range: 30-45 (0C) , Accuracy can reach  $\pm 0.3$ , Face recognition within 500ms; Face library 22400 person; Total can storage 100,000 recognize record.

Dual sensor with living detect, face recognition distance 0.3-3M; Auto identify people without masks and give real-time warning; Real-time output of identify results and voice prompts.



#### ■ Stability

Different angle/ different light / face changes can be accurately identified

#### ■ Accuracy

Can quickly measure human body temperature and report unusual body temperature for unusual body temperature

#### ■ Concurrence

Simultaneous detection and identification of multiple faces, high recognition efficiency.

#### ■ Easy to collect

No special equipment, computer/Laptop camera can collect faces anytime anywhere.

## RGB LINK 3072 PRO SWITCHER

RGBLink CP 3072PRO integrates the console with the switch, allowing the user to seamlessly switch the video effects through the WYSIWYG interactive control panel including buttons, knobs, T-BAR, OLED panel, and indicator lights. In the shortest time, the best results are displayed in the view of the audience. CP 3072PRO scalar supports a variety of optional input modules with any, as well as a variety of optional output mode any setting, easy to use the push and pull lever to switch and to achieve one-click adding for graphics with special effects. The CP 3072PRO mixer redefines the console and switcher that can be used in any scenario thanks to its all modular design, flexible set up, easy to operate and unique shape.



### FEATURES

- Integrated vision mixer & scaler
- 5 mega pixel capacity
- Three output option modes – Dual 2K, 4Kx1K & 4K
- Select or set output resolutions to any requirement
- Dedicated source Preview output with Multiview
- Wide range of transition effects built in
- Up to 3 video layers including background for presentation Program to Preview applications Position, scale, crop video layers freely
- DSK/Key on foreground video layers
- Wide range of Masks can be applied to any foreground video layer
- Variable edge blending on foreground layers

## PERFECT CUE

### Visual Cueing System

Perfect Cue Mini is a wireless audio and visual cueing system that has the same exceptional RF performance and the same interconnections (except for the belt-pack intercom pass-through) as the larger Perfect Cue, and, like the larger Perfect Cue, can control two computers. The communication between the transmitter and cue light is solid at 300 feet.

Perfect Cue enables a speaker to send cues to a projectionist using a wireless hand-held transmitter or to remotely control presentation software via dual programmable USB ports. The Perfect Cue Mini is designed with a fold-away bracket so that the unit can slide easily into a laptop carrying case. It is compatible with all of the Perfect Cue transmitters and may interconnect with other Perfect Cue Minis, Perfect Cues or any of our cue light accessories via Cat5 or XLR cable.



The relationship between transmitter and receiver are hardcoded via dipswitch settings. This enables the user to establish any relationship between the transmitter(s) and receiver(s). For example:

- Perfect Cue systems can work in proximity without interfering with one another
- One transmitter can control multiple cue lights
- One cue light can be controlled by multiple transmitters
- One cue light can control two computers in sync
- One cue light can control additional cue lights (by wiring together the cue lights)

## FEATURES

- Activate / isolate multiple cue lights on a single line.
- Match cue light and actuator communications on 16 selectable channels.
- Connect hand-held actuator for hard-wire backup.
- Connect multiple cue lights via Cat 5 or XLR cable. Only one unit requires power.
- Remotely control presentation software via programmable keyboard commands delivered through two USB ports. Maintain mouse functionality

## PREVIEW ROOM

Preview Room mainly used for conferences where presentations and presenters having back to back presentations from podium its quiet difficult to manage timeline for back to back presentations cause every presenter having different presentations and copying presentation and testing on system during running event its took time and it will creates lots of confusion on podium as well as presentations loading /copying is wastage of time of all audiences.




### What is Preview Room?

Preview room is one technical setup where presenters come before their presentation to technical desk where presenter can check his presentation and copy his presentation and technical team check slot or presenter schedule and hall of particular presenter presentation accordingly respective presentation will be copy to respective server or podium as per time line so when presenter came on podium his/her presentation file is ready for presentation. At a time we can handle multiple halls as well as presentation.

In Technical term it has been managed by couple of system and networking with tailor made software applications.

### STRUCTURE





## LED Screen Indoor-Outdoor

### 2.9mm Indoor

- Version : 2.9 Curve Cabinet With 5153 IC
- Cabinet Size: W 500mm x H 500mm
- Resolution : 168 x 168 Pixel



### 3.9mm Indoor-Outdoor



- Version : 3.9mm Curve Cabinet With 5252 IC
- Cabinet Size: W 500mm x H 500mm
- Resolution : 128 x 128 Pixel

### 4.8mm Outdoor

- Version : 4.8 Curve Cabinet With 5252 IC
- It has To be waterproof LED Screen
- Cabinet Size: W 500mm x H 500mm  
Cabinet Size: W 500mm x H 1000mm
- Resolution : 128 x 128 Pix  
Resolution : 104 x 204 Pix





## OUR WORK

### Live Concerts, Fashion shows & Product Launches



## OUR WORK

### Corporate Shows & Exhibitions



## OUR WORK

### Commercial Shows Event Campaigns / Theme Parties

## OUR WORK

### Club Events & Dj Night



## Creative Visual Solutions

Mobile : +91 7745078880 | Office : +91 9371807880

Ajantha CHS, Plot No.416, Durganagar, Shivajinagar,

Opp. JW Marriott, SB Road, Maharashtra, India, Pune - 411 016.

Mail ID : creativeeyeav@gmail.com, chetan@creativeeyeav.com,

info@creativeeyeav.com,

Web : [www.creativevisualsolutions.in](http://www.creativevisualsolutions.in)

